



## PET SHEET

*We as “Starco Metaplast “ are engaged in manufacturing & supplying different types of PET Films naming:*


- A PET SHEET
- R PET SHEET
- G PET SHEET
- M PET SHEET
- GAG PET

### APPLICATION :

- Used for the clear rigid Plastic Packaging of Food & Consumer Products.
- Used in Food & Oil Industries for Packaging.
- Used in Packaging of Household Chemicals.
- In Pharmaceutical Packaging.

### CHARACTERISTICS :

- Resistance to breakage
- Increased strength
- Suitable for Thermoforming & Vacuum Forming.



S



**Innovative , Cost Effective and Best Quality Products  
for complete packaging solution**

**P R O D U C T S :**

## **A PET (AMORPHOUS PET)**

### **APPLICATION :**


- Packaging Consumer goods, Electrical Accessories, Medical Products.
- Ideal for Thermoforming/ Vacuum forming/ Blister Packaging

### **SPECIFICATION :**

- Thickness : 180 microns to 1200 microns
- Width : up to 800 mm
- Color : Clear, opaque , as per the need.

### **CHARACTERISTICS :**

- Strong, Durable, Environment Friendly
- High clarity
- Excellent Water barrier properties



STARCO METAPLAST PVT. LTD.



**GAG PET ( PETGAG )**

**SPECIFICATION :**

- Thickness : 180 microns to 1200 microns
- Width : up to 800 mm
- Color : Clear, Opaque, as per the need.

**CHARACTERISTICS :**

- It combines the advantages of A PET & G PET
- Excellent Clarity
- Excellent strength



**APPLICATION :**


- Packaging for Medical Purposes.
- Food Packaging
- Electronic Device Packaging

**SPECIFICATION :**


- Thickness : 180 microns to 1200 microns
- Width : upto 800 mm
- Color : Clear, opaque , as per the need.

**CHARACTERISTICS :**

- Excellent clarity
- Good Impact Strength
- Suitable for sealing & Printing as it is receptive to adhesives and inks.



**G PET ( POLYETHYLENE TEREPHTHALATE GLYCOL )**



**R PET ( RECYCLED  
POLYETHYLENE TEREPHTALATE**

**APPLICATION :** used in Food, Pharmaceutical , Automotive Packaging

**SPECIFICATION :**

- Thickness : 180 microns to 1200 microns
- Width : up to 800 mm
- Color : Clear, Opaque, as per the need.



**CHARACTERISTICS :**

- Cost effective
- Non Toxic, Environment Friendly “ GREEN PRODUCT “
- Exhibit resistance to strong oxidizers, alcohol & hydrocarbon solvents.
- Good visibility
- As compared to other plastic resins like PP, PVC , HDPE, R PET materials have high tensile yield strength.




**SPECIFICATION :**

- Thickness : 180 microns to 1200 microns
- Width : up to 800 mm
- Color : Any color as per the customer

**CHARACTERISTICS :**



- Special optical Properties
- Ability to be heat sealed
- Vibrant colors which makes it very attractive
- Decorative Applications
- Lower Density
- Coating reduces the permeability of the film to light, water & oxygen.



**M PET ( METALIZING PET )**



STARCO METAPLAST PVT. LTD.



**We are the Leaders in PET & PVC Industry !**

**C O N T A C T   U S :**

**MANUFACTURING UNIT I**  
A-16/20 Site 4, Sahibabad  
Industrial Area, Ghaziabad  
(Uttar Pradesh)-201010

**MANUFACTURING UNIT II**  
I-53 SITE C, Surajpur  
Indl. Area, Greater Noida,  
Gautam Buddha Nagar,  
(Uttar Pradesh)-201306

**MANUFACTURING UNIT III**  
28, Mahila Udyami Park II,  
Ecotech III, Greater Noida  
(Uttar Pradesh) – 201306

**CONTACT: 0120-4284137, +91-9999666670 | email :  
[sales@starcometaplast.com](mailto:sales@starcometaplast.com) | web : [www.starcometaplast.com](http://www.starcometaplast.com)**